	CROMOL	DGY IT A	Revision nr.2 Dated 03/07/2018		
	Stucco	oforte Cl	Printed on 04/12/2018 Page n. 1 / 10		
	Sa	afety da	ata sheet		
SECTION 1. Identifica	ation of the substance/	mixture and o	of the company/u	ndertaking	
1.1. Product identifier					
Code: Product name 1.2. Relevant identified us		forte Classic	dvised against		
Intended use	Wall st	ucco			
Identified Uses	Indust	rial	Professional	Consumer	
Putty	-		\checkmark	\checkmark	
1.3. Details of the supplier	r of the safety data sheet				
Name Full address District and Country	Sede La 55016	OLOGY ITALI egale: Via IV No Porcari ITALY 199119955 (+3 199119977	ovembre, 4	LU	
e-mail address of the com responsible for the Safety		s@cromology.it	:		
Product distribution by:	CROM	CROMOLOGY ITALIA SPA			
1.4. Emergency telephone	number				
For urgent inquiries refer	Centro Informa 661010 di Berg Bergan Caregg Gemell Umbert (CAVp 0881 7: Antivel Per ulte	Antiveleni di Pa azione Tossicolo (29 (CAV Ospec amo 800 88330 no); Centro Anti i - Firenze); Cer i - Roma); Centro to I - Roma); Centro (0sp. Pediatrico 32326 (Azienda leni di Napoli 08 eriori informazio	avia 0382 24444 (C ogica - Pavia); Cent dale Niguarda Ca` (0 (CAV Azienda O veleni di Firenze 0: ntro Antiveleni di R ro Antiveleni di Ro entro Antiveleni di Ro entro Antiveleni Pec o Bambino Gesù- Ro Ospedaliero Unive 81 7472870 (CAV (tiveleni italiani (attivi 24/24 ore AV Centro Nazionale di ro Antiveleni di Milano 02 Granda - Milano); Centro Antive spedaliera Papa Giovanni XXII 55 7947819 (CAV Ospedale oma 06 3054343 (CAV Policlin ma 06 49978000 (CAV Policlin liatrico di Roma 06 68593726 oma); Centro Antiveleni di Fog rsitaria di Foggia); Centro Ospedale Cardarelli - Napoli). ia SpA 199119955 (+39)058324 7:30.	eleni - nico nico gia



CROMOLOGY ITALIA SPA Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 2 / 10

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard	pictograms:					
Signal v	words:					
Hazard EUH2	statements: 08	Contains: Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one. [EC no. 220-239-6]				
EUH2	(3:1) May produce an allergic reaction. Safety data sheet available on request.					
Precaut	ionary statem	ents:				
2.3. Otł	ner hazards					
On the	basis of avail	able data, the	product does not contain any PBT or vPvB in percentage greater than 0,1%.			
SECTION	3. Composition/i	nformation on in	gredients			
3.1. Subst	ances					
Informa	tion not relev	vant				
3.2. Mixtu	res					
Contains:						
Identifica	tion	Conc. %	Classification 1272/2008 (CLP)			
Mixture o	f• 5-chloro-2-metl	hvl-4-isothiazolin	-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one. [EC no. 220-239-6] (3:1)			
CAS	55965-84-9	0,00 - 0,0015	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10			
EC INDEX	611-341-5 613-167-00-5					
Note: U	pper limit is	not included	into the range			
The ful	l wording of l	nazard (H) ph	rases is given in section 16 of the sheet.			

EN

CROMOLOGY ITALIA SPA

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 3 / 10

Stuccoforte Classic

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed Specific information on symptoms and effects caused by the product are unknown. Information not available

4.3. Indication of any immediate medical attention and special treatment needed Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

SDS 12.0.3 EPY 1003

EN



Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 4 / 10

SECTION 6. Accidental release measures

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment.

Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Wash hands after use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Store the containers sealed, in a well ventilated place, away from direct sunlight.

7.3. Specific end use(s) Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP GBR	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
NLD Nederland		Databank of the social and Economic Concil of Netherlands (SER) Values, AF
		2011:18
	TLV-ACGIH	ACGIH 2016

CALCIUM CARBONATE

Threshold Limit Value							
Туре	Country	TWA/8h mg/m3	ppm	STEL/1 mg/m3	5min _{ppm}		
TLV-ACGIH		10					
VLA	ESP	10					
WEL	GBR	4					
MAC	NLD	10					
Legend:							
(C) = CEILING ;	; INHAL	. = Inhalab	ole Fraction	; RESP	= Respirable Fraction ;	THORA = Thoracic Fraction	on.







Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 5 / 10 FN

SECTION 8. Exposure controls/personal protection/>>

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	White
Odour	Odourless
Odour threshold	Not available
pH	7,5
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 60 °C
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1,830 kg/l 20°C
Solubility	Dispersible in water. Insoluble in solv. hydrocarbon
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available



Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 6 / 10 FN

SECTION 9. Physical and chemical properties/>>

Explosive properties Oxidising properties Not available Not available

9.2. Other information VOC (Directive 2010/75/EC) :

0,10%

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental toxicological data on the product itself, the possible dangers of the product for health have been evaluated on the basis of the properties of the substances contained, according to the criteria provided for by the reference standard for classification. Consider therefore the concentration of the individual hazardous substances mentioned in section 3, to evaluate the toxicological effects deriving from exposure to the product.

11.1. Information on toxicological effects Information not available

LC50 (Inhalation - vapours) of the mixture:	Not classified (no significant component)
LC50 (Inhalation - mists / powders) of the mixture:	Not classified (no significant component)
LD50 (Oral) of the mixture:	Not classified (no significant component)
LD50 (Dermal) of the mixture:	Not classified (no significant component)

SKIN CORROSION / IRRITATION: Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION: Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION: May produce an allergic reaction.

GERM CELL MUTAGENICITY: Does not meet the classification criteria for this hazard class.

CROMOLOGY ITALIA SPA Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 7 / 10 FN

SECTION 11. Toxicological information/

CARCINOGENICITY: Does not meet the classification criteria for this hazard class.

<u>REPRODUCTIVE TOXICITY</u>: Does not meet the classification criteria for this hazard class.

<u>STOT - SINGLE EXPOSURE</u>: Does not meet the classification criteria for this hazard class.

<u>STOT - REPEATED EXPOSURE</u>: Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD: Does not meet the classification criteria for this hazard class.

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. ToxicityMixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one. [EC no.220-239-6](3:1)LC50 - for Fish0,22 mg/l/96h Oncorhynchus mykissEC50 - for Crustacea0,12 mg/l/48h Dafnia magnaEC50 - for Algae / Aquatic Plants0,048 mg/l/72h Pseudokirchnereilla subcapitata

12.2. Persistence and degradabilityMixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one. [EC no.220-239-6](3:1)

12.3. Bioaccumulative potential Information not available

12.4. Mobility in soil Information not available

12.5. Results of PBT and vPvB assessment On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.





Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 8 / 10

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:	
None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation	1907/2006
None	
Substances in Candidate List (Art. 59 REACH)	
None	
Substances subject to authorisarion (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	

FN

CROMOLOGY ITALIA SPA

Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 9 / 10

SECTION 15. Regulatory information/>>

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

Questo prodotto contiene prodotti biocidi.

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%





Stuccoforte Classic

Revision nr.2 Dated 03/07/2018 Printed on 04/12/2018 Page n. 10 / 10 FN

SECTION 16. Other information / >>

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 01/02/03/04/05/06/07/08/09/10/11/12/13/14/15/16