

GRANI DECORATIVI/DECORATIVE GRAINS

ADDITIVES

PRODUCT DESCRIPTION

Description Natural mineral additive consisting exclusively of different coloured granite sands, with a brilliant speckled light effect.

Intended use Indoor/Outdoor

- It should be applied following the instructions of the decorative product to which it is added
- It can be added as an additive to all paste products, for applications on internal or external substrates

Main features

- Mineral sand with a grain size of 0.5–1.0 mm
- The use for highly decorative purposes envisages its mixing in the decorative pastes of an acrylic or mineral nature

Main technical data

Technical information	Method	Main data at 20°C and 60% of R.H.
Final appearance		Brilliant speckled light
Theoretical yield per coat (to be added between 5% and 10% by volume with respect to the decorative product, depending on the desired effect)	ISO 7254	With 5% of product added: 20÷24m ² (with 1 Kg pack) With 10% of product added: 10÷12 m ² (with 1 Kg pack)

Available colours Leucite, Onyx.

LAYING

Dilution and preparation of the product

The product is ready to use.
Add to the chosen decorative coating according to the recommended dosages.
Mix mechanically and energetically into the decorative paste until you reach a suitable homogeneity and workability.

Application tools Stainless steel spatula.

Practical advice

- Add to the paste product used for the decoration in question
- GRANI DECORATIVI must be added only to "thick" decorative products such as marmorino, intonachino plaster finishes or plasters
- If the decorative product requires several coats of application, always add GRANI DECORATIVI/DECORATIVE GRAINS to the last coat of product
- Given that, for decorative purposes, they enrich the final aspect of the decorative effect, we recommend adding them to the product only before applying the last coat
- To ensure the workability of the decorative coating is not affected, we advise following the indicated additive dosages

Known incompatibilities

None.
For any use other than that indicated in this technical data sheet, contact our Technical Assistance Service.

Cleaning of tools

See data sheet of the product used.

Safety Precautions

- Keep the jar tightly closed after use
- The safety information for the user is contained in the relevant safety data sheet
- Empty containers must be disposed of in compliance with local regulations

Additive dosages

Depending on the desired effect, add GRANI DECORATIVI/DECORATIVE GRAINS with a percentage between 5% and 10%, by volume with respect to the decorative product.

- Yield with 5% of product added: 20÷24 m² (with 1 Kg pack)
- Yield with 10% of product added: 10÷12 m² (with 1 Kg pack)
- Consumption with 5% of product added: 40÷45 gr/ m²
- Consumption with 10% of product added: 80÷90 gr/ m²

OTHER INFORMATION

VOC classification
(Directive 2004/42/EC) Not envisaged.

Other technical information

Technical information	Method	Main data at 20°C and 60% of R.H.
Grain size	EN ISO 1524	0.5÷1 mm
Flash point	UNI 8909	Non-flammable
Storage life	UNI 10154	At least 24 months

ITEM SPECIFICATIONS

Application of GRANI DECORATIVI/DECORATIVE GRAINS, mineral additive for mineral or acrylic paste finishes, based on granite sands. GRANI DECORATIVI/DECORATIVE GRAINS – with the colour chosen by the P.M. – is a thickness additive capable of creating a highly superficial shiny speckling decorative effect. It can be added to all decorative pastes applicable with a steel spatula.

The addition to the product is carried out by adding GRANI DECORATIVI/DECORATIVE GRAINS to the decorative layer before applying the last coat.

- Consumption with 5% of product added: 40÷45 gr/m².
- Consumption with 10% of product added: 80÷90 gr/m².

Price on site € _____ per m² including materials, labour and excluding scaffolding, protections and any surface preparation.

All the technical indications contained herein are the result of our best experience, are indicative and do not constitute a guarantee of results. The data and methods shown on this technical data sheet can be modified at any time depending on any change in production technologies. The application of the products takes place outside our control and therefore falls under the sole responsibility of the customer. The correct use of the materials assumes compliance with the general requirements for use set out in the GENERAL CONSIDERATIONS page of the PRODUCT INFORMATION SHEETS collection and in particular with what is indicated in this sheet, especially with regard to the preparation and suitability of the supports. The technical service of Cromology Italia spa is available to users to provide additional information to that reported here. THIS DATA SHEET REPEALS AND REPLACES ANY PREVIOUS EDITION.

CROMOLOGY ITALIA SpA ORGANISATION WITH QUALITY, SAFETY AND ENVIRONMENTAL MANAGEMENT SYSTEM ISO 9001, OHSAS 18001, ISO 14001 CERTIFIED BY BUREAU VERITAS SpA.

FOR PROFESSIONAL USE